



**Publikacje pracowników Instytutu Kardiologii
w czasopismach z IF w 2007 r.**

1. Bausch B, Borozdin W, Mautner VF, Hoffmann MM, Boehm D, Robledo M, Cascon A, Harenberg T, Schiavi F, Pawlu C, Peczkowska M, Letizia C, Calvieri S, Arnaldi G, Klingenberg-Noftz RD, Reisch N, Fassina A, Brunaud L, Walter MA, Mannelli M, MacGregor G, Palazzo FF, Barontini M, Walz MK, Kremens B, Brabant G, Pfaffle R, Koschker AC, Lohofner F, Mohaupt M, Gimm O, Jarzab B, McWhinney SR, Opocher G, Januszewicz A, Kohlhase J, Eng C, Neumann HP, European-American Pheochromocytoma Registry Study Group.: Germline NF1 mutational spectra and loss-of-heterozygosity analyses in patients with pheochromocytoma and neurofibromatosis type 1. *J Clin Endocrinol Metab.* 2007; 92(7): 2784-2792. (IF=5.493; MNiSW=32)
2. Bilinska M, Potocka J, Korzeniowska-Kubacka I, Piotrowicz R.: 'Warm-up' phenomenon in diabetic patients with stable angina treated with diet or sulfonylureas. *Coron Artery Dis.* 2007; 18(6): 455-462. (IF=1.556; MNiSW=20)
3. Czarnowska E, Gajerska-Dzieciatkowska M, Kusmierski K, Lichowski J, Machaj EK, Pojda Z, Brudek M, Beresewicz A.: Expression of SDF-1-CXCR4 axis and an anti-remodelling effectiveness of foetal-liver stem cell transplantation in the infarcted rat heart. *J Physiol Pharmacol.* 2007; 58(4): 729-744. (IF=4.466; MNiSW=32)
4. Deedwania P, Stone PH, Bairey Merz CN, Cosin-Aguilar J, Koylan N, Luo D, Ouyang P, Piotrowicz R, Schenck-Gustafsson K, Sellier P, Stein JH, Thompson PL, Tzivoni D.: Effects of intensive versus moderate lipid-lowering therapy on myocardial ischemia in older patients with coronary heart disease: results of the Study Assessing Goals in the Elderly (SAGE). *Circulation.* 2007; 115(6): 700-707. (IF=12.755; MNiSW=32)
5. Dzielinska Z, Januszewicz A, Demkow M, Makowiecka-Ciesla M, Prejbisz A, Naruszewicz M, Nowicka G, Kadziela J, Zielinski T, Florczak E, Janas J, Januszewicz M, Ruzylo W.: Cardiovascular risk factors in hypertensive patients with coronary artery disease and coexisting renal artery stenosis. *J Hypertens.* 2007; 25(3): 663-670. (IF=4.364; MNiSW=32)
6. Gil RJ, Pawlowski T, Dudek D, Horszczaruk G, Zmudka K, Lesiak M, Witkowski A, Ochala A, Kubica J, Investigators of Direct Stenting vs Optimal Angioplasty Trial (DIPOL).: Comparison of angiographically guided direct stenting technique with direct stenting and optimal balloon angioplasty guided with intravascular ultrasound. The multicenter, randomized trial results. *Am Heart J.* 2007; 154(4): 669-675. (IF=3.649; MNiSW=32)
7. Hoyer D, Frank B, Baranowski R, Zebrowski JJ, Stein PK, Schmidt H.: Autonomic information flow rhythms. From heart beat interval to circadian variation. *IEEE Eng Med Biol Mag.* 2007; 26(6): 19-24. (IF=1.066; MNiSW=27)
8. Hoyer D, Frank B, Gotze C, Stein PK, Zebrowski JJ, Baranowski R, Palacios M, Vallverdu M, Caminal P, Bayes de Luna A, Schmidt G, Schmidt H.: Interactions between short-term and long-term cardiovascular control mechanisms. *Chaos.* 2007; 17(1): 015110. (IF=2.188; MNiSW=32)
9. Kjekshus J, Apetrei E, Barrios V, Bohm M, Cleland JG, Cornel JH, Dunselman P, Fonseca C, Goudev A, Grande P, Gullestad L, Hjalmarson A, Hradec J, Janosi A, Kamensky G, Komajda M, Korewicki J, Kuusi T, Mach F, Mareev V, McMurray JJ, Ranjith N, Schaufelberger M, Vanhaecke J, van Veldhuisen DJ, Waagstein F, Wedel H, Wikstrand J, CORONA Group.: Rosuvastatin in older patients with systolic heart failure. *N Engl J Med.* 2007; 357(22): 2248-2261. (IF=52.589; MNiSW=40)

10. Korzeniowska-Kubacka I., Bilinska M., Piotrowicz R.: Influence of physical training on cardiac performance in patients with coronary artery disease and exercise-induced left ventricular dysfunction. *Acta Cardiologica*. 2007; 62(6): 571-576. (IF=0.495; MNiSW=13)
11. Kruk M, Kalinczuk L, Pregowski J, Przyluski J, Janas J, Chmielak Z, Demkow M, Debski A, Ciszewski A, Otto B, Witkowski A, Ruzyllo W.: Serum tissue inhibitor of metalloproteinases-1 and higher risk features of coronary plaque: a volumetric multivessel intravascular ultrasound study. *Atherosclerosis*. 2007; 194(2): e57-63. (IF=4.287; MNiSW=32)
12. Kruk M, Karcz M, Przyluski J, Bekta P, Kepka C, Kalinczuk L, Pregowski J, Kaczmarska E, Demkow M, Chmielak Z, Witkowski A, Ruzyllo W.: White blood cell count adds prognostic information to the thrombolysis in myocardial infarction risk index in patients following primary percutaneous coronary intervention (ANIN Myocardial Infarction Registry). *Int J Cardiol*. 2007; 116(3): 376-382. (IF=2.878; MNiSW=27)
13. Kruk M, Pregowski J, Mintz GS, Maehara A, Tyczynski P, Witkowski A, Kalinczuk L, Hong YJ, Pichard AD, Satler LF, Kent KM, Suddath WO, Waksman R, Weissman NJ.: Intravascular ultrasonic study of gender differences in ruptured coronary plaque morphology and its associated clinical presentation. *Am J Cardiol*. 2007; 100(2): 185-189. (IF=3.603; MNiSW=32)
14. Leszek P, Szperl M, Klisiewicz A, Janas J, Biederman A, Rywik T, Piotrowski W, Kopacz M, Korewicki J.: Alteration of myocardial sarcoplasmic reticulum Ca²⁺-ATPase and Na⁺-Ca²⁺ exchanger expression in human left ventricular volume overload. *Eur J Heart Fail*. 2007; 9(6-7): 579-586. (IF=2.986; MNiSW=32)
15. Neumann HP, Vortmeyer A, Schmidt D, Werner M, Erlic Z, Cascon A, Bausch B, Januszewicz A, Eng C.: Evidence of MEN-2 in the original description of classic pheochromocytoma. *N Engl J Med*. 2007; 357(13): 1311-1315. (IF=52.589; MNiSW=40)
16. Nissen SE, Tardif JC, Nicholls SJ, Revkin JH, Shear CL, Duggan WT, Ruzyllo W, Bachinsky WB, Lasala GP, Tuzcu EM, ILLUSTRATE Investigators.: Effect of torcetrapib on the progression of coronary atherosclerosis. *N Engl J Med*. 2007; 356(13): 1304-1316. (IF=52.589; MNiSW=40)
17. Orłowska-Baranowska E, Placha G, Baranowski R, Michalek P, Gora J, Gaciong Z, Stepinska J.: Can angiotensin II +1675 G/A type 2 receptor gene polymorphism be a marker of left ventricular hypertrophy in patients with aortic stenosis? *J Heart Valve Dis*. 2007; 16(5): 495-503. (IF=1.130; MNiSW=20)
18. Pool JL, Schmieder RE, Azizi M, Aldigier JC, Januszewicz A, Zidek W, Chiang Y, Satlin A.: Aliskiren, an orally effective renin inhibitor, provides antihypertensive efficacy alone and in combination with valsartan. *Am J Hypertens*. 2007; 20(1): 11-20. (IF=3.102; MNiSW=27)
19. Pregowski J, Witkowski A, Sitkiewicz D.: Significance of aspirin and clopidogrel resistance in patients undergoing percutaneous coronary interventions. *Curr Vasc Pharmacol*. 2007; 5(2): 135-140. (IF=4.122; MNiSW=32)
20. Przyluski J, Karcz M, Kalinczuk L, Kruk M, Pregowski J, Kaczmarska E, Petryka J, Bekta P, Deptuch T, Kepka C, Witkowski A, Ruzyllo W, ANIN Myocardial Infarction Registry.: Comparison of different methods of ST segment resolution analysis for prediction of 1-year mortality after primary angioplasty for acute myocardial infarction. *Ann Noninvasive Electrocardiol*. 2007; 12(1): 5-14. (IF=1.151; MNiSW=20)
21. Reynolds HR, Farkouh ME, Lincoff AM, Hsu A, Swahn E, Sadowski ZP, White JA, Topol EJ, Hochman JS, GUSTO V Investigators.: Impact of female sex on death and bleeding after fibrinolytic treatment of myocardial infarction in GUSTO V. *Arch Intern Med*. 2007; 167(19): 2054-2060. (IF=8.391; MNiSW=32)
22. Ruzyllo W, Tendera M, Ford I, Fox KM.: Antianginal efficacy and safety of ivabradine compared with amlodipine in patients with stable effort angina pectoris: a 3-month randomised, double-blind, multicentre, noninferiority trial. *Drugs*. 2007; 67(3): 393-405. (IF=3.726; MNiSW=32)
23. Scholler K, Trinkl A, Kłopotowski M, Thal SC, Plesnila N, Trabold R, Hamann GF, Schmid-Elsaesser R, Zausinger S.: Characterization of microvascular basal lamina damage and blood-brain barrier dysfunction following subarachnoid hemorrhage in rats. *Brain Res*. 2007; 1142 : 237-246. (IF=2.218; MNiSW= 20)

24. Scirica BM, Morrow DA, Sadowski Z, Ruda M, Nicolau JC, Giugliano RP, Wiviott SD, Sabatine MS, Shui A, Antman EM, Braunwald E.: A strategy of using enoxaparin as adjunctive antithrombin therapy reduces death and recurrent myocardial infarction in patients who achieve early ST-segment resolution after fibrinolytic therapy: the ExTRACT-TIMI 25 ECG study. *Eur Heart J.* 2007; 28(17): 2070-2076. (IF=7.924; MNiSW=32)
25. Styczynski G, Szostek M, Pacho R, Biederman A, Szpakowski E, Pruszczyk P.: Images in cardiovascular medicine. Iatrogenic aortic coarctation. *Circulation.* 2007; 115(12): e342-3. (IF=12.755; MNiSW=32)
26. Szymanski P, Klisiewicz A, Hoffman P.: Asynchronous movement of mitral annulus: an additional mechanism of ischaemic mitral regurgitation. *Clin Cardiol.* 2007; 30(10): 512-516. (IF=1.067; MNiSW=20)
27. Szymanski P, Religa G, Klisiewicz A, Baranska K, Hoffman P.: Diagnosis of biventricular assist device inflow cannula obstruction. *Echocardiography.* 2007; 24(4): 420-424. (IF=1.329; MNiSW=20)
28. Tsuchida K, Colombo A, Lefevre T, Oldroyd KG, Guetta V, Guagliumi G, von Scheidt W, Ruzyllo W, Hamm CW, Bressers M, Stoll HP, Wittebols K, Donohoe DJ, Serruys PW.: The clinical outcome of percutaneous treatment of bifurcation lesions in multivessel coronary artery disease with the sirolimus-eluting stent: insights from the Arterial Revascularization Therapies Study part II (ARTS II). *Eur Heart J.* 2007; 28(4): 433-442. (IF=7.924; MNiSW=32)
29. Urbanowicz K., Żebrowski J., Baranowski R., Hołyst J.: How random is your heart beat? *Physica A.* 2007; 384: 439 - 447.(IF=1.430; MNiSW=27)
30. Wiviott SD, Braunwald E, McCabe CH, Montalescot G, Ruzyllo W, Gottlieb S, Neumann FJ, Ardissino D, De Servi S, Murphy SA, Riesmeyer J, Weerakkody G, Gibson CM, Antman EM, TRITON-TIMI 38 Investigators.: Prasugrel versus clopidogrel in patients with acute coronary syndromes. *N Engl J Med.* 2007; 357(20): 2001-2015. (IF=52.589; MNiSW=40)
31. Zebrowski JJ, Grudzinski K, Buchner T, Kuklik P, Gac J, Gielerak G, Sanders P, Baranowski R.: Nonlinear oscillator model reproducing various phenomena in the dynamics of the conduction system of the heart. *Chaos.* 2007; 17(1): 015121. (IF=2.188; MNiSW=32)
32. Zielinski T, Dzielinska Z, Januszewicz A, Rynkun D, Makowiecka Ciesla M, Tyczynski P, Prejbsiz A, Demkow M, Kadziela J, Naruszewicz M, Januszewicz M, Juraszynski Z, Korewicki J, Ruzyllo W.: Carotid intima-media thickness as a marker of cardiovascular risk in hypertensive patients with coronary artery disease. *Am J Hypertens.* 2007; 20(10): 1058-1064. (IF=3.102; MNiSW=27)